photoprism

```
version: '3.5'

services:
  photoprism:
    container_name: photo
    image: photoprism/photoprism:latest
    security_opt:
      - seccomp:unconfined
      - apparmor:unconfined
    ports:
      - "2344:2342"
    environment:
      PHOTOPRISM_INIT: "http"
      PHOTOPRISM_UID: ${UID:-1000}
      PHOTOPRISM_GID: ${GID:-1000}                          # group id
      PHOTOPRISM_ADMIN_USER: "admin"                        # admin username
      PHOTOPRISM_ADMIN_PASSWORD: "photoprism"               # initial admin password (minimum 8
characters)
      PHOTOPRISM_AUTH_MODE: "password"                      # authentication mode (public,
password)
      PHOTOPRISM_SITE_URL: "https://photo/"  # server URL in the format
"http(s)://domain.name(:port)/(path)"
      PHOTOPRISM_SITE_CAPTION: "Latest"
      PHOTOPRISM_SITE_DESCRIPTION: "Tags and finds pictures without getting in your way!"
      PHOTOPRISM_SITE_AUTHOR: "@3err0"
      PHOTOPRISM_DEBUG: "false"
      PHOTOPRISM_READONLY: "false"
      PHOTOPRISM_EXPERIMENTAL: "false"
      PHOTOPRISM_HTTP_MODE: "release"
      PHOTOPRISM_HTTP_HOST: "0.0.0.0"
      PHOTOPRISM_HTTP_PORT: 2342
      PHOTOPRISM_HTTP_COMPRESSION: "gzip"                   # improves transfer speed and
bandwidth utilization (none or gzip)
      PHOTOPRISM_DATABASE_DRIVER: "mysql"
      PHOTOPRISM_DATABASE_SERVER: "10.0.0.1:3306"
```

```
      PHOTOPRISM_DATABASE_NAME: "photoprism"
      PHOTOPRISM_DATABASE_USER: "root"
      PHOTOPRISM_DATABASE_PASSWORD: "password"
      PHOTOPRISM_DISABLE_CHOWN: "false"       # disables updating storage permissions via
chmod and chown on startup
      PHOTOPRISM_DISABLE_BACKUPS: "true"     # disables backing up albums and photo metadata
to YAML files
      PHOTOPRISM_DISABLE_WEBDAV: "true"      # disables built-in WebDAV server
      PHOTOPRISM_DISABLE_SETTINGS: "false"    # disables settings UI and API
      PHOTOPRISM_DISABLE_PLACES: "false"      # disables reverse geocoding and maps
      PHOTOPRISM_DISABLE_EXIFTOOL: "false"    # disables creating JSON metadata sidecar files
with ExifTool
      PHOTOPRISM_DISABLE_TENSORFLOW: "false"  # disables all features depending on TensorFlow
      PHOTOPRISM_DETECT_NSFW: "false"         # automatically flags photos as private that MAY
be offensive (requires TensorFlow)
      PHOTOPRISM_UPLOAD_NSFW: "false"         # allows uploads that MAY be offensive (no
effect without TensorFlow)
      PHOTOPRISM_RAW_PRESETS: "false"         # enables applying user presets when converting
RAW files (reduces performance)
      PHOTOPRISM_THUMB_FILTER: "lanczos"      # resample filter, best to worst: blackman,
lanczos, cubic, linear
      PHOTOPRISM_THUMB_UNCACHED: "true"       # enables on-demand thumbnail rendering (high
memory and cpu usage)
      PHOTOPRISM_THUMB_SIZE: 2048             # pre-rendered thumbnail size limit (default
2048, min 720, max 7680)
      # PHOTOPRISM_THUMB_SIZE: 4096           # Retina 4K, DCI 4K (requires more storage);
7680 for 8K Ultra HD
      PHOTOPRISM_THUMB_SIZE_UNCACHED: 7680    # on-demand rendering size limit (default 7680,
min 720, max 7680)
      PHOTOPRISM_JPEG_SIZE: 7680              # size limit for converted image files in pixels
(720-30000)
      PHOTOPRISM_JPEG_QUALITY: 85             # a higher value increases the quality and file
size of JPEG images and thumbnails (25-100)
      TF_CPP_MIN_LOG_LEVEL: 0                 # show TensorFlow log messages for development
    working_dir: "/photoprism"
    volumes:
      - photo:/photoprism/originals
      # - "./storage:/photoprism/storage"

networks:
  default:
```

```
    name: media


volumes:
  photo:
    external: true
```

Revision #1
Created 4 April 2023 05:10:04 by 3err0
Updated 4 April 2023 05:11:21 by 3err0